

# HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date:

:

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.  
Product code : HK005

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Brake Parts Cleaner

#### 1.3. Details of the supplier of the safety data sheet

Mid-States Distributing  
P.O. Box 64537  
St. Paul, MN 55164-0537  
T 651-698-8831

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC 24 Hour 1-800-424-9300, 1-703-527-3887 (International)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Flam. Aerosol 2 H223  
Press. Gas (Comp.) H280  
Acute Tox. 3 (Oral) H301  
Acute Tox. 3 (Dermal) H311  
Skin Irrit. 2 H315  
Eye Irrit. 2A H319  
Repr. 2 H361  
STOT SE 1 H370  
STOT SE 3 H336  
STOT RE 2 H373

Full text of H statements : see section 16

#### 2.2. Label elements

##### GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: H223 - Flammable aerosol  
H280 - Contains gas under pressure; may explode if heated  
H301+H311 - Toxic if swallowed or in contact with skin  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
H361 - Suspected of damaging fertility or the unborn child  
H370 - Causes damage to organs  
H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US)

: P201 - Obtain special instructions  
P202 - Do not handle until all safety precautions have been read and understood.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Pressurized container: Do not pierce or burn, even after use.  
P260 - Do not breathe dust,fumes,gas,mist,vapor spray  
P261 - Avoid breathing dust,fume,gas,mist,vapor spray  
P264 - Wash affected areas thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves,protective clothing,eye protection,face protection  
P301+P310 - If swallowed: Immediately call a poison control center, doctor,physician,  
P302+P352 - If on skin: Wash with plenty of soap and water

# HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P307+P311 - If exposed: Call a poison center/doctor  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P312 - Call a POISON CONTROL CENTER, doctor, if you feel unwell.  
P314 - Get medical advice/attention if you feel unwell.  
P321 - Specific treatment: See section 4.1 on SDS  
P322 - Specific treatment (see supplemental first aid instruction on this label)  
P330 - Rinse mouth.  
P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P405 - Store locked up.  
P410+P403 - Protect from sunlight. Store in a well-ventilated place.  
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.  
P501 - Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national, international regulations.

### 2.3. Other hazards

Other hazards not contributing to the classification : Contains gas under pressure; may explode if heated. None under normal conditions.

### 2.4. Unknown acute toxicity (GHS US)

No data available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                                      | Product identifier | %       | GHS-US classification                                                                                                                          |
|-------------------------------------------|--------------------|---------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Toluene                                   | (CAS-No.) 108-88-3 | 30 - 50 | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>Repr. 2, H361<br>STOT SE 3, H336<br>STOT RE 2, H373<br>Asp. Tox. 1, H304                          |
| Methanol                                  | (CAS-No.) 67-56-1  | 30 - 50 | Flam. Liq. 2, H225<br>Acute Tox. 3 (Oral), H301<br>Acute Tox. 3 (Dermal), H311<br>Acute Tox. 3 (Inhalation:dust,mist), H331<br>STOT SE 1, H370 |
| Acetone                                   | (CAS-No.) 67-64-1  | 10 - 30 | Flam. Liq. 2, H225<br>Eye Irrit. 2A, H319<br>STOT SE 3, H336                                                                                   |
| Carbon Dioxide, Liquefied, Under Pressure | (CAS-No.) 124-38-9 | 5 - 10  | Press. Gas (Comp.), H280                                                                                                                       |

The exact percentage is a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER or doctor/physician.

First-aid measures after inhalation : Cough. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Immediately call a poison center or doctor/physician. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Obtain medical attention if pain, blinking or redness persists. Direct contact with the eyes is likely to be irritating.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Immediately call a poison center or doctor/physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Irritation of the respiratory tract. If you feel unwell, seek medical advice. Suspected of damaging fertility or the unborn child. Causes damage to organs.

Symptoms/effects after inhalation : Coughing. Irritation of the respiratory tract. Shortness of breath. May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin. Causes skin irritation.

# HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                    |                                                                                                                                                               |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Symptoms/effects after eye contact | : May cause severe irritation. Irritation of the eye tissue. Inflammation/damage of the eye tissue. Redness of the eye tissue. Causes serious eye irritation. |
| Symptoms/effects after ingestion   | : Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.                                                      |

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |                                                        |
|--------------------------------|--------------------------------------------------------|
| Suitable extinguishing media   | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.                     |

### 5.2. Special hazards arising from the substance or mixture

|                  |                                                                                                                   |
|------------------|-------------------------------------------------------------------------------------------------------------------|
| Fire hazard      | : Flammable aerosol.                                                                                              |
| Explosion hazard | : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. |

### 5.3. Advice for firefighters

|                                |                                                                                                                                                                                                                                  |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection.                                                                                                                                  |
| Other information              | : Aerosol Level 2.                                                                                                                                                                                                               |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

|                  |                                                                                                                                                                     |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General measures | : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges. |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### 6.1.1. For non-emergency personnel

|                      |                                   |
|----------------------|-----------------------------------|
| Protective equipment | : Gloves. Safety glasses.         |
| Emergency procedures | : Evacuate unnecessary personnel. |

#### 6.1.2. For emergency responders

|                      |                                                                                              |
|----------------------|----------------------------------------------------------------------------------------------|
| Protective equipment | : Equip cleanup crew with proper protection. Avoid breathing dust,fume,gas,mist,vapor spray. |
| Emergency procedures | : Ventilate area.                                                                            |

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

|                         |                                                                                                                        |
|-------------------------|------------------------------------------------------------------------------------------------------------------------|
| For containment         | : Dam up the liquid spill. Plug the leak, cut off the supply. Contain released product, pump into suitable containers. |
| Methods for cleaning up | : Store away from other materials.                                                                                     |

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Additional hazards when processed | : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Precautions for safe handling     | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not spray on an open flame or other ignition source. Obtain special instructions . Do not handle until all safety precautions have been read and understood. Avoid breathing dust,fume,gas,mist,vapor spray. Use only outdoors or in a well-ventilated area. Do not breathe dust,fumes,gas,mist,vapor spray.                                                                                                                                                     |
| Hygiene measures                  | : Wash contaminated clothing before reuse. Always wash hands after handling the product. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Take off immediately all contaminated clothing and wash it before reuse. Observe normal hygiene standards. Keep container tightly closed. Observe strict hygiene. Reduce/avoid exposure and/or contact. Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Observe very strict hygiene - avoid contact. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. |

# HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 7.2. Conditions for safe storage, including any incompatibilities

|                        |                                                                                                                                                                                                   |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Technical measures     | : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.                                                                                 |
| Storage conditions     | : Keep only in the original container in a cool, well ventilated place away from : Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place. Keep container tightly closed. |
| Incompatible products  | : Strong bases. Strong acids.                                                                                                                                                                     |
| Incompatible materials | : Sources of ignition. Direct sunlight. Heat sources.                                                                                                                                             |
| Storage area           | : Store in a well-ventilated place.                                                                                                                                                               |

### 7.3. Specific end use(s)

Follow Label Directions.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| Benzene (71-43-2)                                    |                                     |                        |
|------------------------------------------------------|-------------------------------------|------------------------|
| USA ACGIH                                            | ACGIH TWA (ppm)                     | 1 ppm                  |
| USA ACGIH                                            | ACGIH STEL (ppm)                    | 5 ppm                  |
| USA ACGIH                                            | ACGIH Ceiling (ppm)                 | 25 ppm                 |
| USA OSHA                                             | OSHA PEL (TWA) (ppm)                | 1 ppm                  |
| USA OSHA                                             | OSHA PEL (Ceiling) (ppm)            | 5 ppm                  |
| Toluene (108-88-3)                                   |                                     |                        |
| USA ACGIH                                            | ACGIH TWA (mg/m <sup>3</sup> )      | 75 mg/m <sup>3</sup>   |
| USA ACGIH                                            | ACGIH TWA (ppm)                     | 20 ppm                 |
| USA OSHA                                             | OSHA PEL (TWA) (ppm)                | 200 ppm                |
| USA OSHA                                             | OSHA PEL (Ceiling) (ppm)            | 300 ppm                |
| Carbon Dioxide, Liquefied, Under Pressure (124-38-9) |                                     |                        |
| USA ACGIH                                            | ACGIH TWA (mg/m <sup>3</sup> )      | 9000 mg/m <sup>3</sup> |
| USA ACGIH                                            | ACGIH TWA (ppm)                     | 5000 ppm               |
| USA ACGIH                                            | ACGIH STEL (mg/m <sup>3</sup> )     | 54000                  |
| USA ACGIH                                            | ACGIH STEL (ppm)                    | 30000 ppm              |
| USA OSHA                                             | OSHA PEL (TWA) (mg/m <sup>3</sup> ) | 9000 mg/m <sup>3</sup> |
| USA OSHA                                             | OSHA PEL (TWA) (ppm)                | 5000 ppm               |
| Acetone (67-64-1)                                    |                                     |                        |
| USA ACGIH                                            | ACGIH TWA (mg/m <sup>3</sup> )      | 1188 mg/m <sup>3</sup> |
| USA ACGIH                                            | ACGIH TWA (ppm)                     | 500 ppm                |
| USA ACGIH                                            | ACGIH STEL (mg/m <sup>3</sup> )     | 1782 mg/m <sup>3</sup> |
| USA ACGIH                                            | ACGIH STEL (ppm)                    | 750 ppm                |
| USA OSHA                                             | OSHA PEL (TWA) (mg/m <sup>3</sup> ) | 2400 mg/m <sup>3</sup> |
| USA OSHA                                             | OSHA PEL (TWA) (ppm)                | 1000 ppm               |
| Methanol (67-56-1)                                   |                                     |                        |
| USA ACGIH                                            | ACGIH TWA (mg/m <sup>3</sup> )      | 262 mg/m <sup>3</sup>  |
| USA ACGIH                                            | ACGIH TWA (ppm)                     | 200 ppm                |
| USA ACGIH                                            | ACGIH STEL (mg/m <sup>3</sup> )     | 328 mg/m <sup>3</sup>  |
| USA ACGIH                                            | ACGIH STEL (ppm)                    | 250 ppm                |
| USA OSHA                                             | OSHA PEL (TWA) (mg/m <sup>3</sup> ) | 260 mg/m <sup>3</sup>  |
| USA OSHA                                             | OSHA PEL (TWA) (ppm)                | 200 ppm                |

### 8.2. Exposure controls

Appropriate engineering controls : Local exhaust ventilation, vent hoods . Ensure good ventilation of the work station.

# HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment

: Gloves. Safety glasses. Avoid all unnecessary exposure.



Materials for protective clothing

: GIVE EXCELLENT RESISTANCE:

Hand protection

: Wear protective gloves.

Eye protection

: Chemical goggles or safety glasses.

Skin and body protection

: Wear suitable protective clothing.

Respiratory protection

: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.

Environmental exposure controls

: Avoid release to the environment.

Consumer exposure controls

: Avoid contact during pregnancy/while nursing.

Other information

: Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                             |                                          |
|---------------------------------------------|------------------------------------------|
| Physical state                              | : Gas                                    |
| Appearance                                  | : Liquid.                                |
| Color                                       | : Colourless to light yellow.            |
| Odor                                        | : Solvent-like odour. Strong.            |
| Odor threshold                              | : No data available                      |
| pH                                          | : No data available                      |
| Relative evaporation rate (butyl acetate=1) | : No data available                      |
| Melting point                               | : < -78.9 °C (Lowest Component-Acetone)  |
| Freezing point                              | : No data available                      |
| Boiling point                               | : 56 °C (Lowest Component-Acetone)       |
| Flash point                                 | : -18 °C (Lowest Component-Acetone)      |
| Auto-ignition temperature                   | : 385 °C (Lowest Component-Acetone)      |
| Decomposition temperature                   | : No data available                      |
| Flammability (solid, gas)                   | : No data available                      |
| Vapor pressure                              | : No data available                      |
| Relative vapor density at 20 °C             | : No data available                      |
| Relative density                            | : 0.82                                   |
| Solubility                                  | : Moderately soluble in water.           |
| Log Pow                                     | : No data available                      |
| Log Kow                                     | : No data available                      |
| Viscosity, kinematic                        | : No data available                      |
| Viscosity, dynamic                          | : No data available                      |
| Explosive properties                        | : Heating may cause a fire or explosion. |
| Oxidizing properties                        | : No data available                      |
| Explosion limits                            | : No data available                      |

### 9.2. Other information

|             |                  |
|-------------|------------------|
| VOC content | : 70 %           |
| Gas group   | : Compressed gas |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

# HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Toxic fume. . Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

| Benzene (71-43-2)          |                                                                                                               |
|----------------------------|---------------------------------------------------------------------------------------------------------------|
| LD50 oral rat              | > 2000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral)             |
| LC50 inhalation rat (mg/l) | 43.767 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Female, Experimental value, Inhalation (vapours)) |
| LC50 inhalation rat (ppm)  | 13700 ppm (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Female, Experimental value, Inhalation (vapours))   |
| ATE CLP (vapors)           | 43.767 mg/l/4h                                                                                                |
| ATE CLP (dust, mist)       | 43.767 mg/l/4h                                                                                                |

| Toluene (108-88-3)         |                                                                                                                                   |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| LD50 oral rat              | 5580 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Literature study; 5580 mg/kg bodyweight; Rat; Experimental value) |
| LD50 dermal rabbit         | > 5000 mg/kg body weight LD50 quoted as 14.1 mL/kg (12267 mg/kg using density of 0.87)                                            |
| LC50 inhalation rat (mg/l) | > 28.1 mg/l/4h (Rat; Air, Literature study)                                                                                       |
| ATE CLP (oral)             | 5580 mg/kg body weight                                                                                                            |

| Acetone (67-64-1)          |                                                                             |
|----------------------------|-----------------------------------------------------------------------------|
| LD50 oral rat              | 5800 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value)     |
| LD50 dermal rabbit         | 20000 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402) |
| LC50 inhalation rat (mg/l) | 71 mg/l/4h (Rat; Experimental value; 76 mg/l/4h; Rat; Experimental value)   |
| LC50 inhalation rat (ppm)  | 30000 ppm/4h (Rat; Experimental value)                                      |

| Methanol (67-56-1)         |                                                                   |
|----------------------------|-------------------------------------------------------------------|
| LD50 oral rat              | >= 2528 mg/kg body weight application as 50% aqueous solution     |
| LD50 dermal rabbit         | 17100 mg/kg corresponding to 20 ml/kg bw according to the authors |
| LC50 inhalation rat (mg/l) | 128.2 mg/l/4h Air                                                 |
| ATE CLP (oral)             | 100 mg/kg body weight                                             |
| ATE CLP (dermal)           | 300 mg/kg body weight                                             |
| ATE CLP (gases)            | 700 ppmV/4h                                                       |
| ATE CLP (vapors)           | 3 mg/l/4h                                                         |
| ATE CLP (dust, mist)       | 0.5 mg/l/4h                                                       |

|                                                     |                                                                                                                                                                   |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin corrosion/irritation                           | : Causes skin irritation.                                                                                                                                         |
| Serious eye damage/irritation                       | : Causes serious eye irritation.                                                                                                                                  |
| Respiratory or skin sensitization                   | : Not classified                                                                                                                                                  |
| Germ cell mutagenicity                              | : Not classified Based on available data, the classification criteria are not met                                                                                 |
| Carcinogenicity                                     | : Not classified                                                                                                                                                  |
| Reproductive toxicity                               | : Suspected of damaging fertility or the unborn child.                                                                                                            |
| Specific target organ toxicity – single exposure    | : Causes damage to organs. May cause drowsiness or dizziness.                                                                                                     |
| Specific target organ toxicity – repeated exposure  | : May cause damage to organs through prolonged or repeated exposure.                                                                                              |
| Aspiration hazard                                   | : Not classified                                                                                                                                                  |
| Potential Adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. Toxic if swallowed. Toxic in contact with skin.                                               |
| Symptoms/effects after inhalation                   | : Coughing. Irritation of the respiratory tract. Shortness of breath. May cause drowsiness or dizziness.                                                          |
| Symptoms/effects after skin contact                 | : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin. Causes skin irritation. |
| Symptoms/effects after eye contact                  | : May cause severe irritation. Irritation of the eye tissue. Inflammation/damage of the eye tissue. Redness of the eye tissue. Causes serious eye irritation.     |
| Symptoms/effects after ingestion                    | : Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.                                                          |

# HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 12: Ecological information

#### 12.1. Toxicity

|                                                             |                                                                                                                                                          |
|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Benzene (71-43-2)</b>                                    |                                                                                                                                                          |
| LC50 fish 1                                                 | 5.3 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value)                            |
| EC50 Daphnia 1                                              | 10 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)                           |
| ErC50 (algae)                                               | 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)            |
| <b>Toluene (108-88-3)</b>                                   |                                                                                                                                                          |
| LC50 fish 1                                                 | 5.5 mg/l (96 h, Oncorhynchus kisutch, Flow-through system, Fresh water, Experimental value)                                                              |
| <b>Carbon Dioxide, Liquefied, Under Pressure (124-38-9)</b> |                                                                                                                                                          |
| LC50 fish 1                                                 | 35 mg/l (96 h, Salmo gairdneri, Literature study, Lethal)                                                                                                |
| <b>Acetone (67-64-1)</b>                                    |                                                                                                                                                          |
| LC50 fish 1                                                 | 6210 mg/l (96 h; Pimephales promelas; Nominal concentration)                                                                                             |
| EC50 Daphnia 1                                              | 8800 mg/l (48 h; Daphnia pulex)                                                                                                                          |
| LC50 fish 2                                                 | 5540 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)                                                                                                    |
| TLM fish 1                                                  | 13000 ppm (96 h; Gambusia affinis; Turbulent water)                                                                                                      |
| TLM fish 2                                                  | > 1000 ppm (96 h; Pisces)                                                                                                                                |
| Threshold limit other aquatic organisms 1                   | 3000 mg/l (Plankton)                                                                                                                                     |
| Threshold limit other aquatic organisms 2                   | 28 mg/l (Protozoa)                                                                                                                                       |
| Threshold limit algae 1                                     | 7500 mg/l (Scenedesmus quadricauda; pH = 7)                                                                                                              |
| Threshold limit algae 2                                     | 3400 mg/l (48 h; Chlorella sp.)                                                                                                                          |
| <b>Methanol (67-56-1)</b>                                   |                                                                                                                                                          |
| LC50 fish 1                                                 | 15400 mg/l (EPA 660/3 - 75/009, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)                                 |
| EC50 Daphnia 1                                              | 18260 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 96 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, Locomotor effect) |
| ErC50 (algae)                                               | 22000 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value)               |

#### 12.2. Persistence and degradability

|                                                             |                                                                                                                                                                                          |
|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.</b>          |                                                                                                                                                                                          |
| Persistence and degradability                               | Not established.                                                                                                                                                                         |
| <b>Benzene (71-43-2)</b>                                    |                                                                                                                                                                                          |
| Persistence and degradability                               | Readily biodegradable in water. Ozonation in water. Forming sediments in water. Biodegradable in the soil. Low potential for adsorption in soil. Photolysis in the air. Not established. |
| Biochemical oxygen demand (BOD)                             | 2.18 g O <sub>2</sub> /g substance                                                                                                                                                       |
| Chemical oxygen demand (COD)                                | 2.15 g O <sub>2</sub> /g substance                                                                                                                                                       |
| ThOD                                                        | 3.1 g O <sub>2</sub> /g substance                                                                                                                                                        |
| BOD (% of ThOD)                                             | 0.7                                                                                                                                                                                      |
| <b>Toluene (108-88-3)</b>                                   |                                                                                                                                                                                          |
| Persistence and degradability                               | Biodegradable in the soil. Readily biodegradable in water.                                                                                                                               |
| Biochemical oxygen demand (BOD)                             | 2.15 g O <sub>2</sub> /g substance                                                                                                                                                       |
| Chemical oxygen demand (COD)                                | 2.52 g O <sub>2</sub> /g substance                                                                                                                                                       |
| ThOD                                                        | 3.13 g O <sub>2</sub> /g substance                                                                                                                                                       |
| BOD (% of ThOD)                                             | 0.69                                                                                                                                                                                     |
| <b>Carbon Dioxide, Liquefied, Under Pressure (124-38-9)</b> |                                                                                                                                                                                          |
| Persistence and degradability                               | Biodegradability: not applicable.                                                                                                                                                        |
| Chemical oxygen demand (COD)                                | Not applicable (inorganic)                                                                                                                                                               |
| ThOD                                                        | Not applicable (inorganic)                                                                                                                                                               |
| <b>Acetone (67-64-1)</b>                                    |                                                                                                                                                                                          |
| Persistence and degradability                               | Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available. Not established.  |
| Biochemical oxygen demand (BOD)                             | 1.43 g O <sub>2</sub> /g substance                                                                                                                                                       |
| Chemical oxygen demand (COD)                                | 1.92 g O <sub>2</sub> /g substance                                                                                                                                                       |
| ThOD                                                        | 2.2 g O <sub>2</sub> /g substance                                                                                                                                                        |
| BOD (% of ThOD)                                             | (20 day(s)) 0.872                                                                                                                                                                        |

# HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| <b>Methanol (67-56-1)</b>       |                                                                    |
|---------------------------------|--------------------------------------------------------------------|
| Persistence and degradability   | Readily biodegradable in the soil. Readily biodegradable in water. |
| Biochemical oxygen demand (BOD) | 0.6 - 1.12 g O <sub>2</sub> /g substance                           |
| Chemical oxygen demand (COD)    | 1.42 g O <sub>2</sub> /g substance                                 |
| ThOD                            | 1.5 g O <sub>2</sub> /g substance                                  |

### 12.3. Bioaccumulative potential

| <b>HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.</b> |                  |
|----------------------------------------------------|------------------|
| Bioaccumulative potential                          | Not established. |

| <b>Benzene (71-43-2)</b>  |                                                                                                                                           |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| BCF fish 1                | < 10 (OECD 305: Bioconcentration: Flow-Through Fish Test, 3 day(s), Leuciscus idus, Flow-through system, Fresh water, Experimental value) |
| Log Pow                   | 2.13 (Experimental value, 25 °C)                                                                                                          |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). Not established.                                                                           |

| <b>Toluene (108-88-3)</b> |                                                                           |
|---------------------------|---------------------------------------------------------------------------|
| BCF fish 1                | 90 (72 h, Leuciscus idus, Static system, Fresh water, Experimental value) |
| Log Pow                   | 2.73 (Experimental value, 20 °C)                                          |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500).                            |

| <b>Carbon Dioxide, Liquefied, Under Pressure (124-38-9)</b> |                                                  |
|-------------------------------------------------------------|--------------------------------------------------|
| Log Pow                                                     | 0.83 (Experimental value)                        |
| Bioaccumulative potential                                   | Low potential for bioaccumulation (Log Kow < 4). |

| <b>Acetone (67-64-1)</b>      |                                       |
|-------------------------------|---------------------------------------|
| BCF fish 1                    | 0.69 (Pisces)                         |
| BCF other aquatic organisms 1 | 3                                     |
| Log Pow                       | -0.24 (Test data)                     |
| Bioaccumulative potential     | Not bioaccumulative. Not established. |

| <b>Methanol (67-56-1)</b> |                                                                                 |
|---------------------------|---------------------------------------------------------------------------------|
| BCF fish 1                | 1 - 4.5 (72 h, Cyprinus carpio, Static system, Fresh water, Experimental value) |
| Log Pow                   | -0.77 (Experimental value)                                                      |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500).                                  |

### 12.4. Mobility in soil

| <b>Benzene (71-43-2)</b> |                                       |
|--------------------------|---------------------------------------|
| Surface tension          | 0.029 N/m (20 °C)                     |
| Log Koc                  | 2.13 (log Koc, Calculated value)      |
| Ecology - soil           | Low potential for adsorption in soil. |

| <b>Toluene (108-88-3)</b> |                                       |
|---------------------------|---------------------------------------|
| Surface tension           | 27.73 N/m (25 °C)                     |
| Ecology - soil            | Low potential for adsorption in soil. |

| <b>Carbon Dioxide, Liquefied, Under Pressure (124-38-9)</b> |                       |
|-------------------------------------------------------------|-----------------------|
| Ecology - soil                                              | Not applicable (gas). |

| <b>Acetone (67-64-1)</b> |                    |
|--------------------------|--------------------|
| Surface tension          | 0.0237 N/m (20 °C) |

| <b>Methanol (67-56-1)</b> |                                                      |
|---------------------------|------------------------------------------------------|
| Surface tension           | 0.023 N/m (20 °C)                                    |
| Log Koc                   | 0.088 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil            | Highly mobile in soil.                               |

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use. Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national, international regulations.

Additional information : Flammable vapors may accumulate in the container.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

# HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations


### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

|                     |                                                                                          |
|---------------------|------------------------------------------------------------------------------------------|
| US DOT (ground):    | UN1950, Aerosols, 2.1, Limited Quantity                                                  |
| ICAO/IATA (air):    | UN1950, Aerosols, 2.1, Limited Quantity                                                  |
| IMO/IMDG (water):   | UN1950, Aerosols, 2.1, Limited Quantity                                                  |
| Special Provisions: | N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols. |

#### 14.2. UN proper shipping name

|                            |                                                  |
|----------------------------|--------------------------------------------------|
| Proper Shipping Name (DOT) | : Aerosols                                       |
| Class (DOT)                | : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 |
| Hazard labels (DOT)        | : LTD QTY - Limited quantity                     |



|                                           |                                                                                            |
|-------------------------------------------|--------------------------------------------------------------------------------------------|
| DOT Special Provisions (49 CFR 172.102)   | : N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols. |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 306                                                                                      |
| DOT Packaging Non Bulk (49 CFR 173.xxx)   | : None                                                                                     |
| DOT Packaging Bulk (49 CFR 173.xxx)       | : None                                                                                     |

#### 14.3. Additional information

|                                       |                                           |
|---------------------------------------|-------------------------------------------|
| Emergency Response Guide (ERG) Number | : 126                                     |
| Other information                     | : No supplementary information available. |

#### Overland transport

No additional information available

#### Transport by sea

|                             |                                                                                                                                                                                     |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.                                                                             |
| DOT Vessel Stowage Other    | : 25 - Protected from sources of heat, 87 - Stow "separated from" Class 1 (explosives) except Division 14, 126 - Segregation same as for Class 9, miscellaneous hazardous materials |

#### Air transport

|                                                                  |          |
|------------------------------------------------------------------|----------|
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 75 kg  |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)     | : 150 kg |

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

| HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.                                                                                                                                                      |                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| SARA Section 311/312 Hazard Classes                                                                                                                                                              | Delayed (chronic) health hazard<br>Fire hazard<br>Immediate (acute) health hazard<br>Sudden release of pressure hazard |
| Benzene (71-43-2)                                                                                                                                                                                |                                                                                                                        |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Subject to reporting requirements of United States SARA Section 313                                                 |                                                                                                                        |
| Toluene (108-88-3)                                                                                                                                                                               |                                                                                                                        |
| Subject to reporting requirements of United States SARA Section 313<br>Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Listed on the United States SARA Section 302 |                                                                                                                        |
| SARA Section 311/312 Hazard Classes                                                                                                                                                              | Delayed (chronic) health hazard<br>Fire hazard<br>Immediate (acute) health hazard                                      |
| Carbon Dioxide, Liquefied, Under Pressure (124-38-9)                                                                                                                                             |                                                                                                                        |
| SARA Section 311/312 Hazard Classes                                                                                                                                                              | Sudden release of pressure hazard<br>Immediate (acute) health hazard                                                   |

# HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Acetone (67-64-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Subject to reporting requirements of United States SARA Section 313

|                                     |                                                                                   |
|-------------------------------------|-----------------------------------------------------------------------------------|
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard<br>Fire hazard<br>Delayed (chronic) health hazard |
|-------------------------------------|-----------------------------------------------------------------------------------|

### Methanol (67-56-1)

Subject to reporting requirements of United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on the United States SARA Section 302  
Listed on the United States SARA Section 355

|                                     |                                                                                   |
|-------------------------------------|-----------------------------------------------------------------------------------|
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard<br>Delayed (chronic) health hazard<br>Fire hazard |
|-------------------------------------|-----------------------------------------------------------------------------------|

## 15.2. International regulations

### CANADA

#### HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

|                      |                                        |
|----------------------|----------------------------------------|
| WHMIS Classification | Class B Division 5 - Flammable Aerosol |
|----------------------|----------------------------------------|

### Benzene (71-43-2)

Listed on the Canadian DSL (Domestic Substances List)

### Toluene (108-88-3)

Listed on the Canadian DSL (Domestic Substances List)

|                      |                                                                                                                                                                                                              |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WHMIS Classification | Class B Division 2 - Flammable Liquid<br>Class D Division 2 Subdivision A - Very toxic material causing other toxic effects<br>Class D Division 2 Subdivision B - Toxic material causing other toxic effects |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Acetone (67-64-1)

Listed on the Canadian DSL (Domestic Substances List)

|                      |                                                                                                                        |
|----------------------|------------------------------------------------------------------------------------------------------------------------|
| WHMIS Classification | Class B Division 2 - Flammable Liquid<br>Class D Division 2 Subdivision B - Toxic material causing other toxic effects |
|----------------------|------------------------------------------------------------------------------------------------------------------------|

### Methanol (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

|                      |                                                                                                                                                                                                                                                                                                               |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WHMIS Classification | Class B Division 2 - Flammable Liquid<br>Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects<br>Class D Division 2 Subdivision A - Very toxic material causing other toxic effects<br>Class D Division 2 Subdivision B - Toxic material causing other toxic effects |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## EU-Regulations

### Toluene (108-88-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Acetone (67-64-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)- Directive 79/831/EEC, sixth Amendment of Directive 67/548/EEC (dangerous substances)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Methanol (67-56-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

## Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Repr.Cat.3; R63

F; R11

T; R23/24/25

T; R39/23/24/25

Xn; R48/20

Xi; R36/38

Full text of R-phrases: see section 16

## 15.2.2. National regulations

# HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Benzene (71-43-2)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on KECI (Korean Existing Chemicals Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

### Toluene (108-88-3)

### Acetone (67-64-1)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on KECI (Korean Existing Chemicals Inventory)  
Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Korean ECL (Existing Chemicals List)

### Methanol (67-56-1)

Listed on the Canadian IDL (Ingredient Disclosure List)

## 15.3. US State regulations

### HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

|                                                                     |                                    |
|---------------------------------------------------------------------|------------------------------------|
| U.S. - California - Proposition 65 - Carcinogens List               | Yes                                |
| U.S. - California - Proposition 65 - Developmental Toxicity         | Yes                                |
| U.S. - California - Proposition 65 - Reproductive Toxicity - Female | No                                 |
| U.S. - California - Proposition 65 - Reproductive Toxicity - Male   | Yes                                |
| State or local regulations                                          | U.S. - California - Proposition 65 |

### Benzene (71-43-2)

|                                                       |                                                             |                                                                     |                                                                   |                                  |
|-------------------------------------------------------|-------------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------------------------|----------------------------------|
| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| Yes                                                   | Yes                                                         | No                                                                  | Yes                                                               |                                  |

### Toluene (108-88-3)

|                                                       |                                                             |                                                                     |                                                                   |                                  |
|-------------------------------------------------------|-------------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------------------------|----------------------------------|
| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| Yes                                                   | Yes                                                         | No                                                                  | Yes                                                               |                                  |

### Carbon Dioxide, Liquefied, Under Pressure (124-38-9)

|                                                       |                                                             |                                                                     |                                                                   |                                  |
|-------------------------------------------------------|-------------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------------------------|----------------------------------|
| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| No                                                    | No                                                          | No                                                                  | No                                                                |                                  |

### Acetone (67-64-1)

|                                                       |                                                             |                                                                     |                                                                   |                                  |
|-------------------------------------------------------|-------------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------------------------|----------------------------------|
| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| Yes                                                   | Yes                                                         | No                                                                  | Yes                                                               |                                  |

### Methanol (67-56-1)

|                                                       |                                                             |                                                                     |                                                                   |                                  |
|-------------------------------------------------------|-------------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------------------------|----------------------------------|
| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| No                                                    | Yes                                                         | No                                                                  | No                                                                |                                  |

### Benzene (71-43-2)

#### State or local regulations

U.S. - California - Proposition 65

# HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations


|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Benzene (71-43-2)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| U.S. - Pennsylvania - RTK (Right to Know) List<br>New Jersey Right-to-Know                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Toluene (108-88-3)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>State or local regulations</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| U.S. - California - Proposition 65<br>U.S. - New Jersey - Special Health Hazards Substances List<br>New Jersey Right-to-Know<br>U.S. - Massachusetts - Right To Know List<br>Rhode Island Right to Know<br>U.S. - Michigan - Critical Materials List<br>U.S. - New Jersey - Environmental Hazardous Substances List<br>U.S. - Illinois - Toxic Air Contaminants<br>U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List |
| <b>Acetone (67-64-1)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>State or local regulations</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| U.S. - California - Proposition 65<br>Benzene 71-43-2<br>U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) List                                                                                                                                                                                                                                                                                                          |
| <b>Methanol (67-56-1)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>State or local regulations</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| U.S. - California - Proposition 65<br>New Jersey Right-to-Know<br>Florida Right to Know<br>U.S. - Massachusetts - Right To Know List<br>U.S. - Pennsylvania - RTK (Right to Know) List                                                                                                                                                                                                                                                                                                                                      |

### SECTION 16: Other information

Indication of changes : Revision - See : \*.  
Other information : NFPA Aerosol Level 3. None.

|                         |                                                                   |
|-------------------------|-------------------------------------------------------------------|
| Full text of H-phrases: |                                                                   |
| H223                    | Flammable aerosol                                                 |
| H225                    | Highly flammable liquid and vapour                                |
| H280                    | Contains gas under pressure; may explode if heated                |
| H301                    | Toxic if swallowed                                                |
| H304                    | May be fatal if swallowed and enters airways                      |
| H311                    | Toxic in contact with skin                                        |
| H315                    | Causes skin irritation                                            |
| H319                    | Causes serious eye irritation                                     |
| H331                    | Toxic if inhaled                                                  |
| H336                    | May cause drowsiness or dizziness                                 |
| H361                    | Suspected of damaging fertility or the unborn child               |
| H370                    | Causes damage to organs                                           |
| H373                    | May cause damage to organs through prolonged or repeated exposure |

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.  
NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.  
NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



### Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur  
Flammability : 3 Serious Hazard  
Physical : 1 Slight Hazard  
Personal protection : B

# HARVEST KING BRAKE AND PARTS CLEANER 14 OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

SDS US (GHS HazCom 2012) - TCC

*The Supplier identified in Section 1 of this SDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product*

*Disclaimer: The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.*